

FX4-1000JM



7,5mt
MANUAL

355°



KOHLER

1500-1800



65 dB(A) @ 7mt

HEADLIGHTS		MAX HEIGHT
N	TYPE	MT
4	1000W Metal halide	7,5




The images are only for demonstration purposes

WEIGHT	DIMENSIONS [MM]		
	L	W	H MIN/MAX
kg			
665	1550 / 2400	1200	2700 / 7500

ENVIRONMENTAL CONDITIONS	
Temperature	40° C
Height	1000 mslm
Humidity	60,00%



LIGHTING DETAILS **FX4-1000JM**



<i>Light</i>	<i>Headlights</i>		4 x 1000W
	<i>Headlights type</i>		<i>Metal halide</i>
	<i>Lumen each</i>	lm	96000
	<i>Lightable area</i>	m ²	4300 @ 5 lux

TECHNICAL DETAILS

<i>General</i>	<i>Max height</i>	mt	7,5
	<i>Lifting system type</i>		<i>Manual</i>
	<i>Rotation - Rotation</i>		355°
	<i>Maximum wind resistance</i>	km/h	100
	<i>Prime power</i>	kVA (kW)	5 (5)
	<i>Voltage and frequency</i>	V – Hz	230V – 50Hz
	<i>Tank capacity</i>	Lt	105
	<i>Autonomy with working headlights</i>	hr	70
<i>Engine</i>	<i>Engine</i>		KOHLER KDW1003
	<i>Engine power</i>	Hp (kW)	10,2 (7,6)
	<i>Nr. of cylinders</i>		<i>in line</i>
	<i>Displacement</i>	cc	1028
	<i>Aspiration</i>		<i>Nat. Aspirated</i>
	<i>Cooling system</i>		<i>Water</i>
	<i>Rpm</i>		1500
<i>- Alternator</i>	<i>Alternator</i>		LINZ ELECTRIC
	<i>Number of poles</i>		4
	<i>Type</i>		<i>Brushless</i>
	<i>Voltage regulation</i>		<i>Capacitor</i>

All data can be found out in the original technical datasheet of the engine and the alternator. Values shown are nominal values, they can change in every moment and without warning.

STANDARD EQUIPMENT

LIGHTING TOWER

7,5mt height telescopic rod
Telescopic rod with manual lifting system

n.4 1000W metal halide lights
Manual headlights positioning
Electric control panel

GENERAL

Diesel engine
Single-phase alternator
12V battery
First oil filling
65dB(A) at 7mt soundproofed canopy
Slow towing trailer
Service power socket 230V (max 1,8kVA)
n.4 guides for forklift forks
n.4 stabilizers

OPTIONALS

Fast, road-type towing trailer homologated 750kg



Different number, power and kind of lights (halogen, metal halide, led)

Greenpower AB
Helsingborgsvägen Varalöv,
262 96 Ängelholm, Sweden
Phone: +46 43122240
Email: info@greenpower.se
Web: www.greenpower.se